

# HOLMES County 2020

## INVENTORY, APPRAISAL & INSPECTION SNAPSHOT

2/3/2021

### Inventory Data - NBIS Bridges Only

	<u>NBIS COUNT</u>
NBIS Bridges > 20'	154
Bridges 10'-20'	129
	283

Item 221 Inspection Responsibility	<u>CODE</u>	<u># NBIS</u>	<u># ALL</u>
Data Tab Col BV,BW County	2	154	283
Item 21 Maintenance responsibility	<u>CODE</u>	<u># NBIS</u>	<u># ALL</u>
Data Tab County	2	154	283
Col D City or other local	4	0	0
Railroad	27	0	0
Private (tohter than RR)	26	0	0
State Park	11	0	0
Local Park	23	0	0
Township	3	0	0
		154	283
Item 42A Type service on bridge	<u>CODE</u>	<u># NBIS</u>	<u># ALL</u>
Data Tab Other	0	0	0
Col Q Highway	1	154	283
Railroad	2	0	0
Ped/Bikeway	3	0	0
Hwy/RR	4	0	0
Hwy/Ped	5	0	0
		154	283
Item 42B Type service under bridge	<u>CODE</u>	<u># NBIS</u>	<u># ALL</u>
Data Tab Other	0	0	0
Col R Hwy w/ or w/o Ped	1	0	0
Railroad	2	0	0
Ped/Bkwy	3	0	0
Hwy w/ RR	4	0	0
Waterway	5	154	283
Hwy/Waterway	6	0	0
RR/Waterway	7	0	0
Hwy/Waterway/RR	8	0	0
Relief (for waterways)	9	0	0
		154	283

<b>ITEMS 43A,B,C Structure Type</b>	Data (Col M,N,O)	<b>CODE</b>	<b># NBIS</b>	<b># ALL</b>
Other Culvert (incl frame culverts)		19	0	2
Concrete Slab		101	1	9
Concrete Tee Beam		104	1	1
Concrete Box Beam/Girder Multiple		105	5	8
Concrete Frame		107	1	7
Concrete Culvert (incl frame culverts)		119	1	10
Concrete Continuous Slab		201	2	2
Steel Beam or Girder		302	116	187
Steel Thru Truss (includes Pony)		310	10	10
Steel Culvert (incl frame culverts)		319	0	30
Steel Continuous Beam or Girder		402	6	6
Prestr. Conc. Cont. Box Beam/Girder Multiple		505	10	10
Timber Thru Truss (includes Pony)		710	1	1
			<u>154</u>	<u>283</u>

<b>Item 92A Fracture Critical</b>		<b>CODE</b>	<b># NBIS</b>	<b># ALL</b>
Data Tab	Requires FC Inspection	Y	10	n/a
Col U,V,Y	Requires FC Inspection	N	144	n/a
			<u>154</u>	<u>n/a</u>
	FC date blank but FC=Y		0	n/a

<b>Item 113 Scour</b>			<b># NBIS</b>	<b># ALL</b>
Data Tab	Bridge not over waterway	N	0	0
Col AA	unknown foundation	U	0	0
	over tidal waters	T	0	0
	foundations on dry land	9	0	0
	stable above footing	8	103	190
	countermeasures installed	7	0	1
	no scour evaluation made	6	0	0
	stable within footer limits	5	51	92
	stable action needed	4	0	0
	scour critical - unstable	3	0	0
	scour critical - scour present	2	0	0
	scour critical - failure imminent	1	0	0
	scour critical - bridge failed	0	0	0
			<u>154</u>	<u>283</u>

Item 63	Documented Engineering Judgment	# NBIS	# ALL
	Field Eval & Doc EJ	1	n/a

Item 92B	Underwater	CODE	# NBIS	# ALL
Data Tab	requires dive inspection	N	154	n/a
Col W,X,Z	requires dive inspection	Y	0	n/a
			154	
	dive insp date blank but Dive=Y		0	n/a

Item 709	Plan Information	CODE	# NBIS	# ALL
Data Tab	plans not avail	0	1	17
Col. AW	plan avail	1	36	82
	field measured	2	116	183
	Field Testing	3	1	1
	not applicable	N	0	0
			154	283

Item 63	Method of Analysis	CODE	# NBIS	# ALL
Data Tab	Field Eval & Doc. Eng Judgment	0	1	20
Col. AV	Load testing	4	0	0
	No Rating done	5	0	0
	Load Factor (LF)	6	130	0
	WS or AS	7	3	0
	Load & Resistance Factor	8	20	5
	Assigned Rating (LFR) HS20	D	0	222
	Assigned Rating (LRFR) HL93	F	0	5
	Not applicable (Ped, RR, Bldg)	X	0	31
			154	283

**REMINDER:**

**Load Factor required for bridges built after 1993 (exceptions: timber, etc.)**

**LRFR required for bridges built after 2010**

## Inspection Condition Data - NBIS Bridges Only

Item 41	Operating Status	<u>CODE</u>	<u># NBIS</u>	<u># ALL</u>
Data Tab	Open, No restriction	A	131	255
Col AM	Open, posting recommended	B	0	0
	Open, Half width constr.	C	0	0
	Open because of temp. fix	D	0	0
	Open using temp. structure	E	0	0
	New struture not yet open	G	0	0
	closed for load cap. reason	K	0	0
	Posted for load capacity	P	23	28
	Posted for other than load	R	0	0
	Closed for other than load	X	0	0
			154	283

### Load Rating Data

<u>Load Rating Tab</u>	<u># OF ERRORS</u>
Col. AN	Op RF greater than Inv RF? 0
Col. AO	Posting and % Legal OK? 0
Col. AP	"0" used instead of blank 0
Col. AT	% legal <> lowest RF 0
Col.A V	Item 70 correct? 0
Col. AW	Method of Rating Alike? 0
Col. AX	Op & Inv RF in Tons as req'd? 0
Col. AY	Item 575 correct? 0
Col. AZ	Depth of fill completed? 0

## KEY METRICS

**(C)** Compliant  
**(SC)** Substantially Compliant

**(CC)** Conditionally Compliant  
**(NC)** Non- Compliant  
**(NC)** (SC) If corrected within 6/12 months  
 Refresher=6 mo, Comprehensive=12 mo

### METRIC 2 - Program Manager Qualification (from files examination)

From Files review	Missing	#sampled	% PASS	COMPLIANCE
PE /Experience	0	1	100.0%	(C)
Comprehensive	0	1	100.0%	(C)
Refresher	0	1	100.0%	(C)

### METRIC 3 - Team Leader Qualification (from files examination)

From Files review	Missing	#sampled	% PASS	COMPLIANCE
Degree /Experience	0	2	100.0%	(C)
Comprehensive	0	2	100.0%	(C)
Refresher	0	2	100.0%	(C)

### METRIC 6 Insp. Frequency Routine 1/0/1900

Bridge Inspections Overdue	# OVERDUE	% PASS	COMPLIANCE
Data Tab NBIS - 24 months	0	100.0%	(C)
Col. AB ORC - Calendar Year	0	100.0%	(C)
BIM - 18 months	0	100.0%	(C)

### METRIC 8 - Insp. Frequency Underwater

Dive Inspections Overdue	# OVERDUE	# UW	% PASS	COMPLIANCE
Data Tab Col. Z 60 months	0	0	100.0%	(C)

### METRIC 10 - Insp. Frequency FC Member

FC Inspections Overdue	# OVERDUE	# FC	% PASS	COMPLIANCE
Data Tab Col. Y 24 months	0	10	100.0%	(C)

### METRIC 12 - Routine Inspection

Field Ratings	# > +/-1	# Ratings	% PASS	COMPLIANCE
field ratings	0	24	100.0%	(C)
Comments	Missing	# < 6	% PASS	
Tab	6	154	96.1%	(C)
Comments	Error	Total Scour	% PASS	
Tab	32	154	79.2% within tolerance +/- 1	
Comments	# of Compliance Errors			(C)
Tab	11	154	92.9%	

**METRIC 14 - Posting**

Load rating data tab

<b>From Files review</b>	<b># errors</b>	<b>#sampled</b>	<b>% PASS</b>	<b>COMPLIANCE</b>
Op RF < 3 tons but not closed	0	154	100.0%	(C)
Op RF = 0 but not closed	0	154	100.0%	(C)
% Legal < 100 but not posted	0	154	100.0%	(C)
Item 41 = B	0	154	100.0%	(C)

**METRIC 16 - Fracture Critical Inspection**

<b>From Files review</b>	<b>Missing</b>	<b># FC</b>	<b>% PASS</b>	<b>COMPLIANCE</b>
Fract Critical Member ID	0	2	100.0%	(C)
Fatigue Prone Detail	0	2	100.0%	(C)
Gusset Plate Calculations	0	2	100.0%	(C)
FC Inspection Procedure	0	2	100.0%	(C)

**METRIC 17 - Underwater Inspection**

<b>From Files review</b>	<b>Missing</b>	<b># UW</b>	<b>% PASS</b>	<b>COMPLIANCE</b>
UW Inspection Procedure	0	1	100.0%	(C)
Location of UW elements	0	1	100.0%	(C)
UW frequency identified	0	1	100.0%	(C)

# PRELIMINARY FHWA 23 Metric Matrix

23 metrics used by FHWA to measure NBIS compliance

## Compliance Codes for the following Metrics:

- (C) Compliant
- (SC) Substantially Compliant
- (CC) Conditionally Compliant (Adhering to approved PCA)
- (NC) Not Compliant

Metric	Description	(C)	(SC)	(CC)	(NC)
1	State Bridge Inspection Organization				
2	Program Manager Qualification				
3	Team Leader Qualification				
4	Load Rating Engineer Qualification				
5	UW Bridge Inspection Diver Qualification				
6	Routine Inspection Frequency - Low Risk				
7	Routine Inspection Frequency - High Risk				
8	UW Inspection Frequency - Low Risk				
9	UW Inspection Frequency - High Risk				
10	FC Inspection Frequency				
11	Frequency Criteria				
12	Inspection Quality **				
13	Load Rating				
14	Posted or Restricted Bridges				
15	Bridge Files				
16	FC Bridges				
17	UW inspection procedures				
18	Scour Critical Bridges				
19	Complex Bridges				
20	QC/QA				
21	Critical Findings				
22	Inventory **				
23	Updating of Data				

\*\* based on results of Field Review

Metric	Action Needed
12	Scour Rating should control Substructure or Deck
12	have LES comments for any major item rated <=5